

YZF-R3



ENGINE

2-cylinder, Liquid-cooled, EURO5, 4-stroke, 4-valves, DOHC

DISPLACEMENT

321cc

RATED OUTPUT

30,9 kW (42,0PS) @ 10.750 rpm

MAX. TORQUE

29,5 Nm (3,0 kg-m) @ 9.000 rpm

COOLING SYSTEM

LENGTH / WIDTH / HEIGHT / WEIGHT

2.090 mm / 730 mm / 1140 mm /

SEAT HEIGHT

780 mm

GEARBOX

6 Speed

TANK CAPACITY

14 L





£4,995

YZF-R3 FEATURES

High revving 321cc EU5 engine

With a compression ratio of 11.2:1, double overhead cams (DOHC) and four-valve cylinder heads, the 321cc two-cylinder motor is designed for quick-revving performance and high-rpm efficiency. With a maximum power output of 30.9 kW (42PS) at 10.750 rpm, the R3's potent EU5 engine delivers thrilling acceleration with an exciting ride and a broad spread of power.





M1 inspired body with Icon Blue colour scheme

Featuring radical bodywork inspired by the race-winning YZR-M1 – and available in a new duotone Icon Blue colour scheme – this is the sharpest R3 ever built. The central M1-style air duct gives a pure race-bred look – and with a high overall specification and idealised 50/50 weight distribution, the R3 is ready to thrill you on the road and track.

Aggressive R1-inspired face

With its glaring face, this bike is pure R-Series, and features an aggressive front fairing and a race-type screen inspired by the iconic R1. Dual LED headlights and a central air duct work with the cross-layered fairing panels to maximise cooling airflow for the EU5 engine, making this the most outstanding supersport in the 300cc A2 licence class.





Lightweight A2-license supersport bike

Whether you're an A2 licence rider or someone who wants the ultimate lightweight supersport, the R3 has the technology, performance and style that you're looking for. Developed using the same no-compromise philosophy that goes into every R-Series model, this bike's race-bred DNA is built to thrill.

Slim and lightweight sports chassis

The compact and lightweight chassis is manufactured from high tensile steel tubing that gives an optimum balance of strength and rigidity. For sporty and agile handling characteristics the R3's short wheelbase gives outstanding agility – while the near 50/50 front/rear weight distribution and accessible seat height deliver a confident and balanced ride.



R1 inspired dual LED headlights

The front fairing is equipped with R1-style headlights that underline the R3's strong genetic links with Yamaha's larger R-Series supersport models. Utilising bright and longlasting LED technology, the dual headlights produce excellent visibility and illumination with minimal power draw – and give the bike a radical race-bred look.

37 mm KYB inverted front forks

The R3 features 37 mm KYB inverted forks with optimised spring and damping settings. This design gives a large surface area for the sliding tube that ensures high levels of fork rigidity for sporty front-end feel and feedback without losing real-world comfort – and the special top clamp reinforces the radical YZR-M1 inspired style.





Low fuel tank and handlebar position

Thanks to the low fuel tank design and low handlebars, the R3's ergonomics give a pure supersport riding experience. As well as being extremely comfortable, the riding position makes it easy to grip the machine with your knees for improved confidence, especially when you're tucking in close to the bodywork for maximum aerodynamic efficiency.

Lightweight wheels and supersport tyres

Featuring five pairs of thin cast spokes that complement the bike's sleek R-Series image, the 17-inch wheels are fitted with a 110/70-17 radial front tyre and a wide 140/70-17 radial rear tyre. These cast aluminium wheels with light hollow axles are both strong and stylish, while also minimising unsprung weight for refined handling performance.





Powerful braking system with ABS

The 298 mm floating-mount front disc brake ensures excellent stopping power with plenty of feel at the lever, while a 220 mm floating disc handles the braking performance at the rear. And with its ABS anti-lock braking system, the R3 rider can ride confidently – even when traction is reduced in wet or slippery conditions.

Balanced 50/50 weight distribution

Thanks to the engine placement and overall machine dimensions, the R3 features a near 50/50 front/rear weight distribution – widely regarded as being the ideal set up for supersport bikes – giving precise handling performance, easy agility and plenty of feedback from the road.





Digital multi-function instruments

The R3 features multi-function LCD instruments that display information on gear position, fuel capacity, real time and average fuel economy. There's also a water temp gauge, clock, oil change indicator and trip meter – all presented in a clean, modern layout.

YZF-R3 FINANCE

Flexible payment options to suit your budget

PCP Finance

Dealer Contribution:

Optional Final Payment:

Personal Contract Purchase

9.90% APR

£

£2528.75

£89.00

£1381.50

Months Term

Monthly Payment

Customer Deposit

On the Road Cash Price: £6051.00

Amount of Credit: £4669.50

Total Amount Payable: £7114.25

Fixed Rate of Interest: 4.95%

Annual Mileage: 4000 miles

Excess Mileage Charge: 14.9p/mile

T&Cs apply. Subject to status. 18s and over. Guarantee may be required. Santander Consumer Finance RH1 1SR. This quotation, available through Santander Consumer Finance, is valid for 14 days from 29/08/2019. This is not a personal quotation and does not commit Santander Consumer Finance to enter into an agreement with you. Be sure you can afford the repayments before entering into a credit agreement. Santander Consumer (UK) PLC t/a Santander Consumer Finance is authorised and regulated by the Financial Conduct Authority in respect of agreements regulated by the Consumer Credit Act 1974 and for general insurance mediation activity. Authority under firm reference number is 444327. At the end of the agreement there are 3 options: (ii) Part exchange the vehicle. (iii) Pay the Optional Final Payment to own the vehicle or (iii) Return the vehicle. Further charges may be made subject to the condition or mileage of the vehicle.