

# KJM Superbikes

Toogood Lane Wroughton WN6 9PL  
Sales: 01257 451 656 Email: info@kjm.net

## Benelli TNT 125 2019

Fun Attitude

**£1,999** <sup>+OTR</sup>  
from £41.46 p/m



Looking for a run-around motorcycle with the enjoying racy look of a larger machine? Look no further than the all-new Tornado Naked T, available in 125cc versions. The new Tornado Naked T has been created to win the hearts of a user that demands the utmost from their equipment, while still providing an unparalleled, enjoyable experience. Powering the Benelli Tornado Naked T is a single cylinder, 4 stroke, air cooled 4 valves, double spark engine providing 11 horsepower and smooth, manageable throttle response. Featuring 12-inch wheels with 120/70 and 130/70 tires, meaning great agility and stability on the road. The braking system of Benelli Tornado Naked T guarantees maximum performance: in front there is a steel disc of 220 mm, in the rear a single disc of 190 mm. Tornado Naked T: the amazing bike! The BMT engine platform, together with the engine technology from the century-old Benelli, has a number of technical advantages in engine platform(such as multi-valve multi-spark plug) . The BMT power platform is mainly represented by high-speed, high-power, high-performance engines, and is equipped with high-end personalized and sporty models of Benelli. At present, the BMT power platform mainly focuses on small displacements below 250cc motorcycle engine. It will gradually expand to small displacement scooter engines and cub engines.

## Engine

<b>ENGINE TYPE</b> Single cylinder, 4 stroke, air cooled 4 valves, single overhead camshaft (SOHC), double spark	<b>RATED OUTPUT</b> 8,2 Kw (11,1 Cv) @ 9500 rpm	<b>EXHAUST SYSTEM</b> With catalytic converter and oxygen sensors	<b>FINAL DRIVE</b> Chain	<b>SPARK PLUG</b> Bosch A7RC
<b>DISPLACEMENT</b> 124.8cc	<b>MAX. TORQUE</b> 10 Nm (1.0 kgm) @ 7000 rpm	<b>CERTIFICATION</b> Euro 4	<b>IGNITION</b> Athena MB2QJG	<b>STARTING</b> Electronic
<b>BORE X STROKE</b> 54 54.5mm	<b>LUBRICATION</b> Wet Sump	<b>CLUTCH</b> Wet Clutch	<b>COOLING SYSTEM</b> Air Cooled	
<b>COMPRESSION RATION</b> 9.8:1	<b>FUEL SUPPL</b> Electronic fuel injection with throttle body 28mm	<b>GEARBOX</b> 5 Speed	<b>BATTERY</b> 12V	

## Chassis

<b>FRAME</b> Trestle in steel tubes	<b>FRONT BRAKE</b> Steel disk ø210 mm with 2 pistons caliper and CBS	<b>REAR BRAKE</b> Steel disk ø190 mm with 1 pistons caliper and CBS	<b>REAR RIM TYPE</b> Aluminium Alloy	<b>REAR TYRE</b> 130/70-ZR12
<b>FRONT SUSPENSION</b> Upside-down forks	<b>REAR SUSPENSION</b> Rear swing arm with lateral shock absorber with spring pre-load adjustment	<b>FRONT RIM TYPE</b> Aluminum Alloy	<b>REAR RIM DIMENSION</b> 12" MT 3.5 DOT	<b>HEADLIGHT LAMP</b> N/A
<b>FRONT SUSPENSION STROKE</b> 120mm	<b>REAR SUSPENSION STROKE</b> 50mm	<b>FRONT RIM DIMENSION</b> 12" MT 3.0 DOT	<b>FRONT TYRE</b> 120/70-ZR12	<b>TAILLIGHT LAMP</b> N/A

## Dimension

<b>LENGTH</b> 1770mm	<b>HEIGHT</b> 1025mm	<b>UNLADEN WEIGHT</b> 116kg	<b>RESERVE</b> N/A	<b>SEAT HEIGHT</b> 780mm
<b>WIDTH</b> 755mm	<b>GROUND CLEARANCE</b> 160mm	<b>USABABLE TANK VOLUME</b> 7.2 Ltr	<b>WHEELBASE</b> 1215mm	

## Colour Options



Black Red White

## Contact us

### KJM Superbikes

Toogood Lane Wroughtington WN6 9PL

Phone: 01257 451 656

Email: KJM Superbikes

Website: <https://www.kjm.net>

## Working Time

Monday-Friday: 9.00am 6.00pm

Saturday: 9.00am 5.00pm

Sunday: 11.00am 4.00pm